




Quick Shop Template

Quick Shop Template is a template for the Extension Quick Shop. But you can use this template for any other TYPO3 website. It is independent.

If you are using the Quick Shop Installer (quickshop_installer) the template will be installed automatically.



Version: 2.0.0 - 2011-02-07

Extension Key: base_quickshop

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, quick, shop, template

Copyright 2010, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org



Table of Contents

Quick Shop Template	1	Manual Installation	13
Screenshots	3	Adapt HTML, CSS and TypoScript	14
Introduction	4	HTML and CSS	14
What does it do?	4	TypoScript	15
What does it not do?	4	Helpful suggestions	16
Installation	5	Forum	16
Installation by the Quick Shop Installer	5	To-Do List	17
Extension Manager	5	Further Information	18
Backend Group	5	About the plugin icon	18
Pages	6	Other extensions published by Die Netzmacher	18
Page Configuration	6	Manual in PDF	19
TypoScript	7	About the Author	19
Header, Header Image and Footer	10	Change Log	20
Use the Quick Shop	13	Illustration Index	21
Installation with one Click	13		



Screenshots




Illustration 1: Your TYPO3 website after installing the Quick Shop Template. You can use it without the Quick Shop extension.




Illustration 2: Your TYPO3 website after installing the Quick Shop Template and the extension Quick Shop (example)



Introduction

What does it do?

- Quick Shop Template is a template for the Quick Shop.
- Quick Shop Template is easy to install. And if you are using the [Quick Shop Installer](#) (quickshop_installer) it will installed automatically.
- Quick Shop Template is useful,
 - if you will start with Quick Shop, but you don't have a designed TYPO3 installation.
 - if you want a full designed website very quick, but have no time for building an own template.
- You can use Quick Shop Template for any website and without the extension Quick Shop.
- If you like, you can change everything
 - HTML
 - CSS
 - TypeScript
- You don't need to be an experienced TYPOP3 user.

What does it not do?

- If you like a very different layout than Quick Shop Template, it isn't useful to install.

Installation

Installation by the Quick Shop Installer

The extension Quick Shop Installer (quickshop_installer) installs the template automatically. If you are interested in the installer please visit:

- http://typo3.org/extensions/repository/view/quickshop_installer/current/

Extension Manager

Open the extension manager, download the extension Quick Shop Template (extkey: base_quickshop) and install it.




Illustration 3: Dependence on automaketemplate




Illustration 4: Both extensions after installation

1. Quick Shop Template depends on Template Auto-parser (automaketemplate). Please install this extension too.
2. Install Quick Shop Template
3. If you like "RealURL: speaking paths for TYPO3 (realurl)" please install it too.

Backend Group

Create a new backend usergroup.



Illustration 5: Create Backend User Group




Illustration 6: Call it "quick_shop"

1. Modul: Web > List
2. Page tree: root item (here: TYPO3 Quick Shop)
3. Edit area: Backend usergroup
4. Tab [General], Field "Group title": quick_shop



Pages



Illustration 7: Create pages




Illustration 8: The finished page tree

1. Modul: Web > List
2. Page tree: root item (here: TYPO3 Quick Shop)
3. Edit area: Create new page - Page (inside)
4. Create a page list (pages and sysfolders) like in the illustration above and the tree below

```
|-- TYPO3 Quick Shop
  |-- Quick Shop
    |-- Quick Shop Products [sysfolder]
    |-- Libraries [sysfolder]
    |-- header
    |-- footer
```

Page Configuration

Page Quick Shop

We like the backend usergroup "Quick Shop" as the default group for new pages. Every backend user with the group "Quick Shop" will have full access to this pages.

If the id of the backend usergroup "Quick Shop" is 1, than copy the code from below to the tsConfig field of the root page without any changing.

```
TCEMAIN {
  permissions {
    // 1: quick_shop
    groupid = 1
    group   = show,edit,delete,new,editcontent
  }
}
```




Illustration 9: Edit the page properties




Illustration 10: Add the TS configuration

1. Modul: Web > List
2. Page tree: Quick Shop
3. Edit area: Edit page properties (click on the pen on the top of the area)
4. Select tab [Options]



5. Paste the code snippet from above to the field "Tsconfig".

Quick Shop Products (sysfolder)

Please repeat the steps from the page "Quick Shop" with the code snippet below for the sysfolder "Quick Shop Products"

```
TCEMAIN {
    clearCacheCmd = pages
}
```

The code above effects, that all pages will removed from the TYPO3 cache, if product data change.

Header and Footer

Repeat the step "Quick Shop Products (sysfolder)" for the pages Header and Footer in the Sysfolder.

TypoScript

Page Quick Shop




Illustration 11: Edit the page properties




Illustration 12: Add the TS configuration

1. Modul: Web > List
2. Page tree: Quick Shop
3. Edit area: System Records > template
4. Select tab [General]
5. Field [Template title]: page_quickshop_001¹
6. Field [Website title]: Quick Shop"

¹ Format should be: type_nameOfThePage_idOfTheTemplate



7. Field [Constants]: Please paste the code snippet from below into the field area and adapt the values to your needs.




Illustration 13: Add the TS configuration

```
myConst {
    host = http://my-domain.com/
    client {
        name = The name of my client
    }
    seo {
        default {
            // Default value for HTML head meta tag keywords
            keywords = Quick, Shop
            // Default value for HTML head meta tag description
            description = Quick Shop supported by the browser, the TYP03-frontend-engine
        }
    }
}

pages {
    root = 1
    libraries = 3
    libraries {
        header = 4
        footer = 5
    }
}

paths {
    res = EXT:base_quickshop/res/
    html = EXT:base_quickshop/res/html/
    css = EXT:base_quickshop/res/html/css/
}

files {
    html {
        template = index.html
        css = basic.css
    }
}

dims {
    header_image {
        maxW = 210
        maxH = 420
    }
}

words {
    // HTML a href title tag for menu item rootpage
    title_tag_rootpage = Home of Quick Shop
}
}
```





Illustration 14: Edit the page properties




Illustration 15: Add the TS configuration

8. Edit area: Select tab [Options]
9. Enable fields:
 - [x] Constants
 - [x] Setup
 - [x] Rootlevel
10. Select tab [Includes]
11. Enable field:
 - [x] Include static templates AFTER basic template
12. Include static templates
 - CSS Styled Content (css_styled_content)
 - Base Quick-Shop (base_quickshop)

Please clear the TYPO3 cache.

Result I/II



Illustration 16: Result in the frontend

This is the current result in the frontend.

Because we didn't add any content and any image, the areas for the header, the header image and the footer are empty. We will add content and image in the next step.



Header, Header Image and Footer

We will add the header, the header image and the footer.

Header




Illustration 17: Add page content

1. Page tree: Quick Shop > Libraries > Header
2. Edit area: Add a new record
3. Create a new content element > Pagecontent




Illustration 18: Edit the header




Illustration 19: Edit the text

4. Tab [General]
5. Field [Header]: [Header]
6. Field [Type]: Hidden
7. Tab [Text]
8. Field [Text]: Quick Shop
9. Save the form

Header Image

First we download the header image, second we upload it as a page resource.




Illustration 20: Edit the header




Illustration 21: Edit the text

1. Modul: Admin tools > Ext Manager
2. Edit area: Select this extension: Quick Shop Template
3. Pull down menu: [Edit files]
4. Click on the path: res/images/01_rootpage/quick_shop_header_image_210.px
Save it
5. Page tree: Quick Shop
6. Edit area: Page properties
7. Tab [Resources]
8. Browse for the image
9. Save the form (upload)



Footer




Illustration 22: Edit the header




Illustration 23: Edit the text

This has the same steps like the header above.

1. Tab [General]
2. Field [Header]: [Footer]
3. Field [Type]: Hidden
4. Tab [Text]
5. Field [Text]: This is my footer
6. Save the form

Please remove TYPO3 cache.

Result II/II




Illustration 24: The template in the frontend

1. Menu
2. Header
3. Header Image
4. Footer



Use the Quick Shop




Illustration 25: This is our template extended with the extension Quick Shop and with some products.

Now you can install the Quick Shop.

Installation with one Click

The Quick Shop can be installed with one click only: Please use the Quick Shop Installer (quickshop_installer)

- http://typo3.org/extensions/repository/view/quickshop_installer/current/

Manual Installation

How to install the Shop is reported in the manual and tutorial of the Quick Shop Extension (extension key: quick_shop).

See

- Repository: http://typo3.org/extensions/repository/view/quick_shop/current/
- Manual: http://typo3.org/extensions/repository/view/quick_shop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf
- Tutorial: http://typo3.org/extensions/repository/view/quick_shop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Ftutorial.pdf

Adapt HTML, CSS and TypoScript

You can adapt the HTML code, the CSS and the TypoScript to your needs.

HTML and CSS

Load your own HTML template or CSS file up to the fileadmin directory or any other directory (see Modul > File > Filelist).

Adapt the properties in the TypoScript.




Illustration 26: Take your own HTML template

1. Modul: Web > Template
2. Page tree: Quick Shop
3. Edit area: Pull down menu: [TypoScript Object Browser]
4. Menu Browser: [Constants]
5. Click the plus icon of the element [myConst]
Click the plus icon of the elements [paths] and [files] > [html]
6. Adapt the path to your HTML file or to your CSS file to your paths
7. Adapt the name of your HTML file or CSS file to your file names

TypoScript

Illustration 27: The subpart array in the TypoScript

1. Modul: Web > Template
2. Page tree: Quick Shop
3. Edit area: Pull down menu:[TypoScript Object Browser]
4. Menu Browser: [Setup]
5. Click the plus icon of the element [page]
Click the plus icon of the element [10]
6. Click the plus icon of the element [subparts]

Every subpart corresponds with the <div>-tag in the HTML template with the subpart name as the div id.



Helpful suggestions

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- <http://typo3-browser-forum.de/>

Quick Shop has its own forum.

Posts are welcome in English and German.



To-Do List

Nothing to do.



Further Information

About the plugin icon












The concept of the icon:

- The cart is the common symbol for a shop.
- The colour of the stripe, orange, is one of the TYPO3 colours. It is the colour of Die Netzmacher, the company which developed the Quick Shop Template



Illustration 28: The logo

Other extensions published by Die Netzmacher

-  Browser - The Frontend Engine. It displays content from related tables. You need one line typoscript for a result list with a search form, a record browser and an a-z browser. Images are wrapped self-acting. SEO, Search Engine Optimisation is integrated. DRS - Development Supporting System - supports Bugfixing and Development.
<http://typo3.org/extensions/repository/view/browser/current/>
-  Browser for BZD Staff Directory. List view and single view for the extension BZD Staff Directory. It is out of the box. You can edit the views by TypoScript. You can add fields and whole views.
http://typo3.org/extensions/repository/view/browser_bzdstaffdirectory/current/
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser in three hours only.
http://typo3.org/extensions/repository/view/green_cars/current/
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.
<http://typo3-job-market.de/>
-  Juridat - Database for Juridical Data. Juridat provides a juridical data base with backend functionality. Juridat is out of the box. It is a teamwork with the Browser.
<http://typo3.org/extensions/repository/view/juridat/current/>
-  logical_form: A frontend plugin for evaluating forms. I.e you can evaluate mail addresses.
http://typo3.org/extensions/repository/view/logical_form/current/
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.
<http://typo3.org/extensions/repository/view/majordomo/current/>
-  Organiser provides a lot of features for handle news, events, staff, headquarters, locations, repertoire, workshops and a calendar. Sell your online tickets! Available from April of 2011
<http://typo3-organiser.de/>
-  seo_dynamic_tag: Search Engine Optimisation. You can generate values dynamically with this extension especially for the <title>-tag, for the <meta>-tag description and the <meta>-tag keywords.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/current/
-  tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin. I. e. it is possible to display tt_news items in dependence on the ownership of a fe_user.
http://typo3.org/extensions/repository/view/ttnews_selectconf/current/
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension Quick Shop Template.
<http://typo3.org/extensions/repository/view/wine/current/>



Manual in PDF

You find this manual as PDF file at

- [doc/manual.pdf](#)
- http://typo3.org/extensions/repository/view/base_quickshop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf



Quick Shop Template

Quick Shop Template (extkey: base_quickshop)



Quick Shop Template

Quick Shop Template is a template for the Extension Quick Shop. But you can use this template for any other TYPO3 website. It is independent.



Version: 1.0.1 - 2010-06-15
Extension Key: base_quickshop

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, quick, shop, template
Copyright 2010, Dirk Wildt (Die Netzmacher), <http://allzeit.die-netzmacher.de>

Illustration 29: The manual

About the Author

Dirk Wildt



Illustration 30: The Author - a little bit blurred

Dirk Wildt (* 1963 Hamburg/Germany)

Founder of Die Netzmacher (Erfurt/Weimar)

Founder of TYPO3 Usergroup Thuringia

Member of TYPO3 Usergroup Leipzig

2003: Founding think visually! It is Die Netzmacher since 2009.

2000 - 2002: Financial Controller, G.E.B.B

1999 - 2000: Financial Controller, G|M|Z - Tagesspiegel-Gruppe

1997 - 1999: Spokesman, Senatsverwaltung für Finanzen, Berlin

1989 - 1997: Editor and Financial Controller, taz, die tageszeitung

1982 - 1989: Freelancing Press Photographer



Change Log

- 2.0.0 **Improvement**
- Individual layout for each product
- 1.4.0 **Improvement**
- myConst.pages.root is moved to myConst.pages.quick_shop
- 1.0.1 **Initial release**



Illustration Index

Illustration 1: Your TYPO3 website after installing the Quick Shop Template. You can use it without the Quick Shop extension.....	3
Illustration 2: Your TYPO3 website after installing the Quick Shop Template and the extension Quick Shop (example).....	3
Illustration 3: Dependence on automaketemplate.....	5
Illustration 4: Both extensions after installation.....	5
Illustration 5: Create Backend User Group.....	5
Illustration 6: Call it "quick_shop".....	5
Illustration 7: Create pages.....	6
Illustration 8: The finished page tree.....	6
Illustration 9: Edit the page properties.....	6
Illustration 10: Add the TS configuration.....	6
Illustration 11: Edit the page properties.....	7
Illustration 12: Add the TS configuration.....	7
Illustration 13: Add the TS configuration.....	8
Illustration 14: Edit the page properties.....	9
Illustration 15: Add the TS configuration.....	9
Illustration 16: Result in the frontend.....	9
Illustration 17: Add page content.....	10
Illustration 18: Edit the header.....	10
Illustration 19: Edit the text.....	10
Illustration 20: Edit the header.....	11
Illustration 21: Edit the text.....	11
Illustration 22: Edit the header.....	12
Illustration 23: Edit the text.....	12
Illustration 24: The template in the frontend.....	12
Illustration 25: This is our template extended with the extension Quick Shop and with some products.....	13
Illustration 26: Take your own HTML template.....	14
Illustration 27: The subpart array in the TypoScript.....	15
Illustration 28: The logo.....	18
Illustration 29: The manual.....	19
Illustration 30: The Author - a little bit blurred.....	19