

Foundation 5

Extension Key: df.foundation5

Language: en, de

Version: 1.2.7

Keywords: responsive design template

Copyright 2006-2014, Detlef Fluess, <info@2-ad.de>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

Foundation 5.....	1
What does it do?.....	3
Das Inhaltselement:.....	4
Bildeinstellungen.....	4
Bild-Slider (Orbit).....	4
Sticky-Navigation (Magellan).....	5
Bild-/Text Ausrichtungen.....	6
Ausgabebedingungen.....	6
Erweitert.....	7
Users manual.....	8
http://zurb.foundation.com.....	8
Libraries	9
All settings are easily set in Constant Editor.....	9
Top Bar.....	9
Off Canvas.....	10
Side Nav.....	11
Sub Nav.....	12
Dropdown.....	13
Interchange.....	14
Pagination.....	15
Breadcrumbs.....	16
Orbit.....	17
Magellan.....	20
Examples.....	21
An TScript Template example.....	21
TScript Template example for HTML Template below.....	21
HTML Template Example (index.html).....	21
FAQ.....	22
Sponsor developments.....	23
ChangeLog.....	24

What does it do?

- Extension installieren
- Script-Update durchführen! (siehe Abbildung 1)
- Statische Templates einbinden (mindestens erforderlich: *basic df_foundations5*)




Abbildung 1: Aktualisierungsscript aufrufen

The screenshot shows the 'Static Templates' configuration dialog in the TYPO3 backend. On the left, under 'Ausgewählte Objekte:', the 'Foundation 5 basic (df_foundations5)' template is selected and highlighted with a green background. On the right, under 'Verfügbare Objekte:', a list of available templates is shown, including 'Foundation 5 basic (df_foundations5)', 'Foundation 5 - Interchange (df_foundations5)', 'Foundation 5 - Offcanvas (df_foundations5)', 'Foundation 5 - Breadcrumbs (df_foundations5)', 'Foundation 5 - Top Bar (df_foundations5)', 'Foundation 5 - Sub Nav (df_foundations5)', 'Foundation 5 - Side Nav (df_foundations5)', 'Foundation 5 - Dropdown Nav (df_foundations5)', 'Foundation 5 - Pagination (df_foundations5)', and 'gridelements (gridelements)'. A red arrow points from the 'script' icon in the extension manager to the 'script' icon in the top bar of this dialog.

Wichtig! Nach einem Update von Version 0.3x auf 1.x (oder höher) müssen die statischen Templates (Foundation 5 ...) neu hinzugefügt werden!

1. Alle Templates (Foundation 5 ...) entfernen, speichern und schließen.
2. Alle TYPO3 Caches löschen (auch den System Cache).
3. Templates wieder hinzufügen und speichern.

Das Inhaltselement:

Bildeinstellungen

Bildeinstellungen


Breite (Pixel)	Höhe (Pixel)	Rahmen
<input type="text"/>	<input type="text" value="101"/>	<input checked="" type="checkbox"/> Aktiviert
Bildzuschnitt		Schnittposition
<input checked="" type="checkbox"/>		
Qualität und Typ		Effekte
<input type="button" value="Standard"/>		<input type="button" value="keiner"/>

Bild-Slider (Orbit)

Eingegebene Bilder im Inhaltselement werden bei Aktivierung des Orbit-Slider automatisch als Slideshow dargestellt. Verfügbare Optionen für den Orbit-Slider können über Constants eingestellt werden.

*Hinweis: Um den Slider nutzen zu können, muß das statische Template "**Foundation 5 - Orbit**" hinzugefügt werden!*

Allgemein Bilder Erscheinungsbild Zugriff Kategorien Ausgabebedingungen Erweitert

Layout des Inhaltselements

Layout	Oberer Abstand	Unterer Abstand	Einrückung und Rahmen
<input type="button" value="Standard"/>	<input type="text"/>	<input type="text"/>	<input type="button" value="Standardframe"/>

Bildeinstellungen

Breite (Pixel)	Höhe (Pixel)	Rahmen	Orbit-Slider
<input type="text"/>	<input type="text"/>	<input type="checkbox"/> Aktiviert	<input checked="" type="checkbox"/> Aktiviert

Sticky-Navigation (Magellan)

Wird dieser Haken gesetzt, erscheint die Überschrift als Menüeintrag in der Sticky-Navigation (Magellan).

Allgemein	Erscheinungsbild	Zugriff	Kategorien	Ausgabebedingungen	Erweitert
Sichtbarkeit					
Inhaltselement	In Menüs zeigen	Link zum Seitenanfang anfügen	Magellan (Sticky Navigation)		
<input type="checkbox"/> Deaktivieren	<input checked="" type="checkbox"/> Aktiviert	<input type="checkbox"/> Aktiviert	<input checked="" type="checkbox"/> 		

Hinweis:

Um die Sticky-Navigation (Magellan) nutzen zu können, muss das statische Template "**Foundation 5 - Magellan**" hinzugefügt werden!

Im Template kann die Sticky-Navigation zum Beispiel so eingefügt werden:

```
page.10.marks {  
    magellan < lib.magellan  
}
```

Weitere Beispiele weiter unten...

Bild-/Text Ausrichtungen

- Large – Desktop-Monitor (voreingestellt max 1024px)
- Medium – Tablet (voreingestellt max 768px)
- Small – Smartphone (voreingestellt max 480px)

Bildausrichtung

Position und Ausrichtung Spalten: (Large) Spalten: (Medium) Spalten: (Small)

links 3 2 1

links (Large) rechts (Large)
6 (50%) 6 (50%)

links (Medium) rechts (Medium)
6 (50%) 6 (50%)

links (Small) rechts (Small)
12 (100% - gestapelt) 12 (100% - gestapelt)

Zuszl. CSS-Class links Zuszl. CSS-Class class rechts
▶ small-only-center ▶ small-only-center

Ausrichtung der Beschriftung
Rechts




Abbildung 2: Dynamische Bildgrößen nach Anzahl der Bildspalten. Beispiel Desktop's (Large).

Zusätzliche CSS-Class [links/rechts] Beispiel: "small-only-center". Inhalte werden so auf Smartphones zentriert dargestellt.

Weitere Standard-Classes:

Align Left	Align Right	Align Center	Justify
.text-left	.text-right	.text-center	.text-justify
.small-text-left	.small-text-right	.small-text-center	.small-text-justify
.small-only-text-left	.small-only-text-right	.small-only-text-center	.small-only-text-justify
.medium-text-left	.medium-text-right	.medium-text-center	.medium-text-justify
.medium-only-text-left	.medium-only-text-right	.medium-only-text-center	.medium-only-text-justify
.large-text-left	.large-text-right	.large-text-center	.large-text-justify
.large-only-text-left	.large-only-text-right	.large-only-text-center	.large-only-text-justify
.xlarge-text-left	.xlarge-text-right	.xlarge-text-center	.xlarge-text-justify
.xlarge-only-text-left	.xlarge-only-text-right	.xlarge-only-text-center	.xlarge-only-text-justify
.xxlarge-text-left	.xxlarge-text-right	.xxlarge-text-center	.xxlarge-text-justify

Ausgabebedingungen

Allgemein	Bilder	Erscheinungsbild	Zugriff	Ausgabebedingungen	Erweitert
Zeigen für Ausgabemedium: show-all ▾					
Nicht zeigen für Ausgabemedium: show-all ▾					
Bildformat: show-all ▾					
berührbaren Bildschirm (Touchscreen): show-all ▾					
Druckausgabe: show-all ▾					

Erweitert

Zusätzliche CSS-Classes und/oder Inline-Styles für exclusive, Formatierungen eines Inhaltselements.

Beispiel:

Allgemein	Bilder	Erscheinungsbild	Zugriff	Kategorien	Ausgabebedingungen	Erweitert
Zusätzliche CSS-Class: ▶ meineClass1 meineClass2						
Inline Style: ▶ position:absolute; left:0; top:100px; color:red;						

Users manual

<http://zurb.foundation.com>

Responsive design gets a whole lot faster for users.

Foundation 5 is the professional choice for designers, developers and teams.

For example:

Interchange

Not just for responsive images any more, Interchange in Foundation 5 lets you create beautifully optimized sites by letting you selectively load entire sections based on the client device type.

Medium Grid

By popular request, Foundation now includes a medium grid that you can leverage, nestled neatly between the small and large grids you're used to. That's a lot less custom code for you to write to make use of intermediate sizes.

Libraries

All settings are easily set in Constant Editor.

Top Bar

The Foundation Top Bar gives you a great way to display a complex navigation bar on small, medium or large screens.


Category

FOUNDATION TOP-BAR NAVIGATION (8) ▾




Enable features

top-bar hover [top-bar.is_hover]

You can now make the top bar clickable.

**Show Parent Link for Small** [top-bar.mobileShowParentLink]**Positioning the Top Bar** [top-bar.position]


Links and targets

top-bar Entry Level [top-bar.entryLevel]**top-bar Divider Wrap** [top-bar.divider]**top-bar ATagParams** [top-bar.atag]

Content: 'Header'

top-bar Title for Small [top-bar.smallTitle]

Content: 'List of records'

top-bar Exclude UID List [top-bar.excludeUidList]

Off Canvas

Off-canvas menus are positioned outside of the viewport and slide in when activated. Setting up an off-canvas layout in Foundation is super easy.

Category

FOUNDATION OFF-CANVAS NAVIGATION (6) ▾

Enable features

off-canvas position. [off-canvas.position]



left

Links and targets


off-canvas Entry Level [off-canvas.entryLevel]



[Empty]


Content: 'Header'

off-canvas top Label for Small [off-canvas.topLabel]




Menu

off-canvas Title for Small [off-canvas.smallTitle]



Menu Top-Label


off-canvas Submenu Label for Small [off-canvas.SubLabel]



SubMenu

Content: 'List of records'

off-canvas Exclude UID List [off-canvas.excludeUidList]



[Empty]

Side Nav

Side nav, like you see on the Foundation docs, is a great way to provide navigation for your entire site, or for sections of an individual page.

Category

FOUNDATION SIDE NAVIGATION (8) ▾

Enable features

side-nav Expand all Level [side-nav.expandAll]

 [Empty]

side-nav Collapse Level [side-nav.collapse]

 [Empty]

Typography

side-nav Wrap [side-nav.wrap]

 |

Links and targets

side-nav Entry Level [side-nav.entryLevel]

 2

Content: 'Header'

side-nav Leveltitle Wrap [side-nav.leveltitleWrap]

 <h2>|</h2>

side-nav Leveltitle Entry [side-nav.levelTitle]

 2

side-nav Leveltitle LinkLevel [side-nav.levelTitleLink]

 -2

Content: 'List of records'

side-nav Exclude UID List [side-nav.excludeUidList]

 [Empty]

Sub Nav

This simple sub nav is great for moving between different states of a page. We use these frequently to show iterations of something, typically by date, but they're also handy for filters like these.

Category

FOUNDATION SUB NAVIGATION (3) ▾

Typography

sub-nav Wrap [sub-nav.wrap]




sub-nav Entry Level [sub-nav.entryLevel]



Content: 'List of records'

sub-nav Exclude UID List [sub-nav.excludeUidList]



Dropdown

We removed the various dropdowns within different UI elements for Foundation 5. Instead, we created a universal dropdown plugin that will attach dropdowns or popovers to whatever element you need.


Category

FOUNDATION DROPODOWN NAVIGATION (8) ▾


Enable features

dropdown-nav LinkType [dropdown-nav.linktype]


Button or custom class [dropdown-nav-title]




dropdown-nav Button-/Link-Size [dropdown-nav.linksizes]



ModalBox Button-color [dropdown-nav.ButtonColor]



ModalBox Button-corner [dropdown-nav.ButtonCorner]



dropdown-nav Box-Size [dropdown-nav.boxsize]



dropdown-nav Title hover [dropdown-nav.is_hover]

You can now make the top bar hoverable.




Content: 'Header'

dropdown-nav Title [dropdown-nav.title]



Content: 'List of records'

DropDown Navigation UID-List [dropdown-nav.uidlist]



Interchange

Interchange uses media queries to dynamically load responsive content that is appropriate for different users' browsers.

Wichtiger Hinweis:

Die Eingabe einer Breite oder einer Höhe im Inhaltselement hat Priorität!

Category

FOUNDATION INTERCHANGE (4) ▾

Image maxWidth small [df.foundation5.interchange.mediaQuerie-small.img.maxW]

 480

Image maxWidth medium [df.foundation5.interchange.mediaQuerie-medium.img.maxW]

 768

Image maxWidth large [df.foundation5.interchange.mediaQuerie-large.img.maxW]

 1024

Image maxWidth retina [df.foundation5.interchange.mediaQuerie-retina.img.maxW]

 2048

Pagination

Pagination is a type of navigation that lets users tap through a series of related pages. Moving between pages has become less common with the advent of longer pages and AJAX loading, but if you need pagination, Foundation has you covered.

Category

FOUNDATION PAGINATION (6) ▾

Links and targets

pagination directory [pagination.directory]

pagination fetched from directory (page-id)

 [Empty]

pagination treelevel [pagination.treelevel]

pagination visible from specified pagination directory and in tree level (level list)

 0,1,2,3,4,5,6,7,8,9

Others

pagination first label [pagination.firstLabel]

 <<

pagination prev label [pagination.prevLabel]

 <

pagination next label [pagination.nextLabel]

 *

pagination last label [pagination.lastLabel]

 >>

Breadcrumbs

Breadcrumbs come in handy to show a navigation trail for users clicking through a site or app. They'll fill out 100% of the width of their parent container.

Category

FOUNDATION BREADCRUMBS (4) ▾

Links and targets

breadcrumbs Entry Level [breadcrumbs.entryLevel]

 [Empty]

breadcrumbs Range [breadcrumbs.range]

 0|3

breadcrumbs Separator [breadcrumbs.separator]

 /

breadcrumbs Separator Position [breadcrumbs.separatorpos]

Position from the top in px

 1

Orbit

Orbit is an easy, powerful, responsive image slider that allows users to swipe on touch-enabled devices.

Category

FOUNDATION ORBIT (15) ▾

Enable features

Animation [df_foundations5.orbit.animation]

Sets the type of animation used for transitioning between slides

 slide

Timer Speed [df_foundations5.orbit.timer_speed]

Sets the amount of time in milliseconds before transitioning a slide

 3000

Pause on hover [df_foundations5.orbit.pause_on_hover]

Pause Autoplay when a dot is hovered

 false

Resume on mouseout [df_foundations5.orbit.resume_on_mouseout]

If pause on hover is set to true, this setting resumes playback after mousing out of slide

 false

Next on click [df_foundations5.orbit.next_on_click]

Resume on mouseout: Advance to next slide on click

 true

Animation Speed [df_foundations5.orbit.animation_speed]

Sets the amount of time in milliseconds the transition between slides will last

 500

Stack on small [df_foundations5.orbit.stack_on_small]

 false

Navigation Arrows [df_foundations5.orbit.navigation_arrows]

 true

Show dot indicators [df_foundations5.orbit.bullets]

Does the slider have bullets visible?

 true

Slide loop [df_foundations5.orbit.circular]

Does the slider should go to the first slide after showing the last?

 true**Display slide number** [df_foundations5.orbit.slide_number] true**Display timer** [df_foundations5.orbit.timer]

Does the slider have a timer active? Setting to false disables the timer.

 true**Display slide number text** [df_foundations5.orbit.slide_number_text] of**Variable height** [df_foundations5.orbit.variable_height]

Does the slider have variable height content?

 false**Swipe** [df_foundations5.orbit.swipe] true


Category

FOUNDATION ORBIT CLASSES (7) ▾

Enable features


Class for next [df_foundations5.orbit.next_class]

Class name given to the next button




Class for prev [df_foundations5.orbit.prev_class]

Class name given to the previous button



Class for timer [df_foundations5.orbit.timer_container_class]

Class name given to the timer




Class for preloader [df_foundations5.orbit.preloader_class]

Class given to the perloader




Class for bullets [df_foundations5.orbit.bullets_container_class]

Class name given to the navigation bullets




Class for slide number [df_foundations5.orbit.slide_number_class]

Class name given to the slide number



Class for caption [df_foundations5.orbit.caption_class]

Class name given to the caption



Magellan

Magellan is a style-agnostic plugin that lets you give your site sticky navigation. This fixed-position navigation helps users keep track of where they are on a page without scrolling.

Category

FOUNDATION MAGELLAN (6) ▾

Enable features

Threshold [df_foundations5.magellan.threshold]

How many pixels until the magellan bar sticks, 0 = auto

 [Empty]

Destination threshold [df_foundations5.magellan.destination_threshold]

Pixels from the top of destination for it to be considered active

 65

Destination Overlap [df_foundations5.magellan.destination_overlap]

Overlap compensation in pixels

 45

Throttle delay [df_foundations5.magellan.throttle_delay]

Calculation throttling to increase framerate

 [Empty]

Fixed Top [df_foundations5.magellan.fixed_top]

Top distance in pixels assigned to the fixed element on scroll

 [Empty]

Class used for active sections [df_foundations5.magellan.active_class]

 active

Examples

An TScript Template example

You can use the following TypoScript code in the setup field of your template:

```
page.10.marks {
    offcanvas < lib.off-canvas
    offcanvas.stdWrap.wrap = <section class="show-for-small"> | </ section>
    topbar < lib.top-bar
    topbar.stdWrap.wrap = <section class="hide-for-small"> | </ section>
}
```

TScript Template example for HTML Template below

```
page = PAGE
page.10 = TEMPLATE
page.10 {
    template = FILE
    template.file = fileadmin/Template/index.html
    workOnSubpart = DOCUMENT
    marks {
        offcanvas < lib.off-canvas
        topbar < lib.top-bar
        dropdown < lib.dropdown-nav
        sidenav < lib.side-nav
        subnav < lib.sub-nav
        pager < lib.pagination
        breadcrumbs < lib.breadcrumbs
        magellan < lib.magellan
    }
}
```

HTML Template Example (index.html)

```
[...]

<body>
<!--###DOCUMENT## Start-->
<div class="show-for-small">###offcanvas###</div>
<div class="page-wrapper">
    <header>
        <div class="row">
            <div class="large-12 columns">
                <nav class="hide-for-small">###topbar###</nav>
                [...]
            </div>
        </div>
    </header>
    <section>
        <div class="row">
            <div class="large-2 medium-2 columns"> ###sidenav### </div>
            <div class="large-10 medium-10 columns">
                <div class="breadcrumbs">###breadcrumbs###</div>
                <div class="sub-nav">###subnav###</div>
                <div class="magellan">###magellan###</div>
                <div class="content">###content###</div>
                <div class="pager">###pager###</div>
            </div>
        </div>
    </section>
</div>
<!--###DOCUMENT## End-->
</body>

[...]
```

FAQ

Foundation is not loaded automatically after the update from v0.3x to v1.x:

After the major update on 1.x, the static template must be re-mounted.

- Delete Typo3Cache. (Static templates would be all removed).
- Add Static templates new, save, done.

Sponsor developments

Die Pflege und Weiterentwicklung dieser Extension kostet viel Zeit und Geduld. Viele weitere *Foundation 5* Funktionen warten noch auf den Einbau.

Ziel ist es, verfügbare *Foundation 5* Funktionen, so komfortabel wie möglich, in TYPO3 einzusetzen. Vorschläge für Verbesserungen sind immer willkommen.

Sponsoren können die Prioritäten für zügige Weiterentwicklungen fördern!

Spezielle Wünsche (*soweit sie dem Grundgedanken dieser Extension und Foundation 5 entsprechen*) werden auf die ToDo gesetzt. Eine Garantie zur Umsetzung einzelner Wünsche kann jedoch nicht gegeben werden.

Möchtest Du Sponsor werden dann klicke hier: [Sponsor developments](#)

Alle Sponsoren werden (falls nicht ausdrücklich untersagt) namentlich gelistet.

Herzlichen Dank an:

Peter Kleinow, Dirk Grunenberg, Kim Rücker,

ChangeLog

Version:

1.2.8

November 01, 2014

Changes:

Magellan (Sticky Navigation) added.

This fixed-position navigation helps users keep track of where they are on a page without scrolling.

1.2.7

Okttober 30, 2014

Image description for Orbit Slider added.

Code for T3 v6.2x optimized. (obsolete code removed and bugfixes).

1.2.6

Okttober 30, 2014

Bugfix: Foundation Initialisation JS added again.

Documentation completed.

1.2.5

Okttober 28, 2014

Orbit Slider for images added in the content element.

Orbit is an easy, powerful, responsive image slider that allows users to swipe on touch-enabled devices. You can adjust settings using Constants. Small bugs fixed.

1.2.4

Okttober 26, 2014

Framework version update to 5.4.6

Changelog see: <http://foundation.zurb.com/docs/changelog.html>

Various closing boxes, added as a frame types.

1.2.3

Okttober 07, 2014

Framework version update to 5.4.5

Changelog see: <http://foundation.zurb.com/docs/changelog.html>

Fix Update-Script

All current values from the field 'imagecols' (columns) are now taken over by Foundation. (Must not be reset!)

Supports TYPO3 version 6.2.0 - 6.2.99

Missing documentation added again.

New frame types ModalBox and DropDown added again.

Supports TYPO3 version 6.2.0 - 6.2.99

Image Crop fixed.

Code structure for new rules optimized and adjusted.

Supports TYPO3 version 6.2.0 - 6.2.99

Incorrect settings ImageCols fixed. **Please update scripts to perform!**

Image Crop: Function for image sections added.

Supports TYPO3 version 6.2.0 - 6.2.99

1.2.1

September 16, 2014

Missing documentation added again.

New frame types ModalBox and DropDown added again.

Supports TYPO3 version 6.2.0 - 6.2.99

1.2.0

September 08, 2014

Image Crop fixed.

Code structure for new rules optimized and adjusted.

Supports TYPO3 version 6.2.0 - 6.2.99

1.1.0

September 08, 2014

Incorrect settings ImageCols fixed. **Please update scripts to perform!**

Image Crop: Function for image sections added.

Supports TYPO3 version 6.2.0 - 6.2.99

1.0.1

August 29, 2014

Detail and code optimizations for TYPO3 6.2.

Supports TYPO3 version 6.2.2 - 6.2.99

1.0.0

August 28, 2014

Released only for Version 6.2.x # Foundation Framework version 5.4.0

[<http://foundation.zurb.com/docs/>] # Full support adaptive image, with foundation library interchange via TypoScript source collection.

Supports TYPO3 version 6.2.2 - 6.2.99

0.3.0

August 25, 2014

Released for typo3 6.2 # Foundation Framework version update to 5.4.0 # Includes

over 150 kick-ass commits # Adds and fixes

Supports TYPO3 version 4.5.0 - 6.2.99

0.2.10

August 25, 2014

over 150 kick-ass commits # Adds

stacking option for button groups # Adds breakpoint classes to icon-bar # Audit and simplify excess colors by changing to variables # Adds Multi-level off-canvas menu

Supports TYPO3 version 4.7.0 - 6.1.99

0.2.9

July 21, 2014

Framework version update to 5.3.1 Bug fixes and optimizations. Divider Wrap and

ATagParams added as constant. - Fix for clearing issue on mobile where lightbox allows vertical scroll outside container - Fixes Reveal bug with modals locking when target is

Supports TYPO3 version 4.7.0 - 6.1.99

0.2.8

June 23, 2014

Framework version major update to 5.3.0 # Added new component - Switches # Added new component - Icon Bar # Added new component - Vertical Range Sliders # Added disabled state to range-sliders # Added accordion mixins # Added tons of other fix

Supports TYPO3 version 4.7.0 - 6.1.99

0.2.7	Fixed bug in Offcanvas wrap.
June 13, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.2.6	Framework version update to 5.2.3 Bug fixes and optimizations. - Equalizer can now equalize when stacked, or in block grid - Accordion can now be spread across different parent containers - Adds accessibility classes - Joyride Threshold implemented and f
June 06, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.2.5	Small error is eliminated, simultaneous use of Equalizer and Interchange.
May 18, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.2.4	Small optimization for the content type \"images\". Unusable options removed.
April 30, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.2.3	Foundatioin Update 5.2.2- April 3, 2014 Bug fixed and new Features. - Numerous fixes and changes to Orbit for performance and functionality - Equalizer now only calculates height for visible objects - Off-canvas objects now retain momentum scrolling on
April 10, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.2.2	Documentation updated. Fixed some minor bugs.
March 27, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.2.1	Foundatioin Update version to 5.2.1. - Fixed Orbit timer stoping after first slide - Fixes captions in clearing Viewer - Orbit Adds vertical scrolling on touch device - Corrected modal dialog z-index
March 16, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.2.0	Adaptive image sizes (Interchange) optimized for typo3. Image widths are automatically divided by column number. Usual breakpoints added. All breakpoints customizable via Contstants. Foundation version updated to 5.2.0.
March 16, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.1.5	Optimized trigger for interchange responsive images. Library Pagination added. Minor optimizations.
March 06, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.1.4	small error in the library off canvas adjusted. Manual added.
February 17, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.1.3	small error in the library off canvas adjusted. Manual added.
February 17, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.1.2	Functions added: Image processing - Interchange: uses media queries to dynamically load content responsive did is Appropriate for different users' browsers. Navigation - Off-canvas: menus are Positioned outside of the viewport and slide in When activat
February 17, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.1.1	- ZURB Foundation added 5 version 5.1.1 - Optional libraries outsourced for navigation as static templates. (if required please add) - Configurations possible on Constants
February 12, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.1.0	- ZURB Foundation 5 version 5.1.1 added - Optional libraries outsourced as static templates for navigation. (if required please add) Configurations on Constants possible. Example of use: page.10 <lib.off-canvas page.10.stdWrap.wrap = <section class="sh
February 12, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.0.3	small bug fixes and custom css optimization.
February 12, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.0.2	small bug fixes.
February 11, 2014	Supports TYPO3 version 4.7.0 - 6.1.99
0.0.1	new zurb.foundation version 5
February 06, 2014	Supports TYPO3 version 4.7.0 - 6.1.99