


Quick Shop

Quick Shop is both a quick shop extension and a tutorial that enables you to build your own shop. With the Quick Shop Installer (quickshop_installer) you will need only one click for installing the Quick Shop with sample products. You configure and extend the shop by TypoScript. You don't need to develop any PHP code. This extension hasn't any PHP code.

WARNING: Manual and Tutorial aren't complete.



Version: 1.0.1 - 2010-07-01

Extension Key: quick_shop

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, shop

Copyright 2010, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License

available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

Quick Shop	1	Page Tree	7
Screenshots	3	Insert some products	7
Introduction	4	Configure Page "Shop"	7
Warning	4	Configure Page "Cart"	8
What does it do?	4	Helpful suggestions	11
What does it not do?	4	Quick Shop on TYPO3 forge	11
What do you need?	4	To-Do List	12
Audience	4	Further Information	13
Non possible features	4	About the plugin icon	13
Quick Installation	5	Other extensions published by Die Netzmacher	13
One Click with the Quick Shop Installer	5	Manual and Tutorial in PDF	14
Without the Quick Shop Installer	5	About the Authors	14
Installation	6	Change Log	15
Extension Manager	6	Illustration Index	16

Screenshots




Illustration 1: Quick Shop - Frontend




Illustration 2: Quick Shop - Backend

Introduction

Warning

- This manual is incompletely. There is no documentation for the fieldsets configuration and field configuration of the powermail plugin. If you know powermail, it won't be any matter. If you don't know powermail, it will be a good idea to install Quick Shop with the Quick Shop Installer.

What does it do?

- Quick Shop is a shop extension for TYPO3. It's out of the box.
- Quick Shop is easy to install. And you can install Quick Shop with one click by the Quick Shop Installer.
- Quick Shop is useful, if you need a simple shop. For example if you like to provide a couple of products only.
- Quick Shop hasn't any own PHP code. This has two big advantages:
 - The extension is stable.
 - It is very simple to extend the shop database with tables and fields for your needs.
 - You can use your own TypoScript and your own HTML templates. It is very simple to adapt it to your needs.
- Quick Shop has a tutorial. The tutorial teach you, how to develop your own shop.
- The Quick Shop frontend is controlled by the plugin "Browser". You enable a lot of stuff by clicking the mouse: search form, page browser, index browser (A-Z), empty list at start, Social Bookmarks and so on.
- The Browser plugin of the Quick Shop enables realUrl.
- The Browser plugin integrates SEO, Search Engine Optimisation.
- The Browser plugin supports localization.
- If you want a template out of the box, you can use the "Quick Shop - Template" (base_quickshop). The Template can installed automatically, if your are using the Quick Shop Installer.

What does it not do?

- Quick Shop isn't useful, if you need things like cross selling or if you have a lot of products with a lot of attributes like colours and sizes.
- The shop isn't contend with shops like Oxyd or Magento.

What do you need?

- If you want to adapt the extension, you need experience in TypoScript. You should know the TCA – the TYPO3 Configuration Array.

Audience

- TYPO3 users, who have less knowledge about TYPO3 and TypoScript and have little demands.
- Professional TYPO3 developers and TYPO3 agencies, who have a lot of experience with TYPO3 and TypoScript and have high demands.

Non possible features

- Quick Shop doesn't support versioning.
- Quick Shop doesn't support different workspaces.



Quick Installation

One Click with the Quick Shop Installer

- Install this Extension - Quick Shop Installer (quickshop_installer)
http://typo3.org/extensions/repository/view/quickshop_installer/current/
- Add the plugin Quick Shop Installer to a page
- Load the page in the frontend
- Click "Install it!"

Without the Quick Shop Installer

- Install the extensions browser, powermail and wt_cart
- Add two pages "shop" and "cart" and the sysfolder "products"
- Add to the sysfolder "products" some products
- Add to the page "shop"
 - a template
 - Include the "browser" template
 - Include the "quick shop" template
 - the plugin "browser"
 - Link the startingpoint to the folder with the products
 - Configure TypoScript
- Add to the page "cart"
 - a template and include the "wt_cart" template
 - the plugin "wt_cart" without any configuration
 - the plugin "powermail" and configure it (sorry, this isn't documented below)
 - configure TypoScript
 - add powermail fieldsets and fields (sorry, this isn't documented below)



Installation

Extension Manager

Open the extension manager, download the extensions below.

Obligatory

- Quick Shop (quick_shop)
- Browser – the TYPO3-Frontend-Engine (browser)
- Powermail (powermail)
- Shopping Cart for TYPO3 (wt_cart)

Recommended

This extensions are recommende, if you are starting with an empty TYPO3 installation.

- Template Auto-parser (automaketemplate)
- Quick Shop Template (base_quickshop)

This extension is obligatory, if you want install the Quick Shop out of the box:

- Quick Shop Installer (quickshop_installer)

The List

The list of your extensions in the extension manager should be look like in the illustration below, if you had installed all.




Illustration 3: The extension manager



Page Tree

Create a page tree like below.

- shop
 - cart
 - shipping
 - terms and conditions
- products (sysfolder)

Insert some products

Everything is ready for inserting some products in the backend.



Illustration 4: Sysfolder Quick Shop



Illustration 5: Add your first record

1. Modul: Web > List
2. Page tree: Current page is the sysfolder "Quick Shop -Products" in our illustration
3. Edit area:click on the "add record" icon.
4. Click on a Quick Shop Category

Add some categories and some products.

Configure Page "Shop"

Add to the page "shop"

- a Template
- the "Browser" plugin

Template

Call your template in the format type-pageTitle-templateUid like +page_shop_999

- Register [General], Field "Template Title:": +page_shop_999

Include static templates from extensions.

- Register [Includes] -> Include static (from extensions): -> Selected:
 - Browser (browser)
 - Quick Shop (quick_shop)

Plugin

Link the starting point to the sysfolder "products".



Result in the frontend




Illustration 6: Result in the frontend

This is the result in the frontend. The single view is available too.

But some functionality is missing at the moment.

TypoScript

Please configure some constants in your template from above.

- Register [General]

Copy the snippet into the "Constants:" Field. Adapt the uids of our pages to the uids of your pages.

```
myConst {
    pages {
        root = 3026
        root {
            cart = 3027
            shipping = 3029
            terms = 3030
        }
    }
}
```

Page "Shop" is finished.

You can configure some things in the Browser plugin. It's a good idea to become familiar with it.

Configure Page "Cart"

Plugins

Add to the page "cart"

- the plugin "wt_cart" without any configuration
- the plugin "powermail"

Powermail

Register [Form Data] -> Formtitle: "order"

You have to configure some fields more. And you have to add powermail fieldsets and fields.

But sorry! There is no further information in this manual.

You have three possibilities:

- Take a look into the Quick Shop Tutorial:
http://typo3.org/extensions/repository/view/quick_shop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Ftutorial.pdf

- Take a look in the wt_cat manual:
http://typo3.org/extensions/repository/view/wt_cart/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.sxw
- Install the Quick Shop with the Quick Shop Installer. You will get a ready configured powermail plugin. You can adapt the configuration to your needs.
http://typo3.org/extensions/repository/view/quickshop_installer/current/

Template

Please configure some fields in your template.

Constants

- Register [General] -> Field "Constants:"

```

plugin {
  wtcart {
    gpvar {
      qty = tx_quick_shop_qty
      puid = tx_browser_pi1|showUid
    }
    db {
      table = tx_quickshop_products
    }
    powermailContent {
      // This is the uid of the powermail plugin
      uid = 2057
    }
    debug = 0
  }
  powermail {
    template {
      fieldWrap = EXT:quick_shop/res/tmpl_fieldwrap.html
    }
    allow {
      email2receiver = 1
      email2sender = 1
    }
    email {
      noreply = info@###DOMAIN###
    }
    format {
      datetime = %H:%M %d.%m.%Y
      format {
        .date = %d.%m.%Y
      }
    }
    label {
      allowTags =
    }
    clear {
      session = 1
    }
    hiddenfields {
      show = 1,1,1,1,1
    }
    field {
      checkboxJS = 1
    }
    _LOCAL_LANG {
      de {
        locallangmarker_confirmation_submit = Bestellung abschicken
      }
    }
  }
}

```

Adapt the values to your needs. You have to addept two values, we marked it with yellow background color. They are:

```

plugin.wtcart.powermailContent.uid = 2057
plugin.powermail.email.noreply = info@###DOMAIN###

```



Setup

If you like the Quick Shop design instead of wt_cart default design, please change the CSS.

- Register [General] -> Field "Setup:"

```
// include quick_shop css
page.includeCSS.quickshopCSS = EXT:quick_shop/res/default.css
// remove wt_cart css
page.includeCSS.file3456 >
```

Include Static Templates

Include the static template from wt_cart.

- Register [Includes] -> Include static (from extensions): -> Selected:
 - wt_cart_main (wt_cart)

Powermail Records

Sorry! There is no further information in this manual.

Result in the Frontend




Illustration 7: Result in the frontend

If you have put a product in the cart, your page "cart" could look like the illustration above (it is with the wt_cart default css).

Powermail reports a bug because of a missing configuration.

Next Steps

You have to do two steps, if you are familiar with powermail

1. Configure the plugin
2. Add powermail fieldsets and fields to the page "cart"

Helpful suggestions

If you have helpful suggestions, feel free to contact me: Dirk Wildt <http://wildt.at.die-netzmacher.de>.

Quick Shop on TYPO3 forge

You find scheduled new Features and Bug Reports on TYPO3 forge. See

- http://forge.typo3.org/projects/show/extension-quick_shop



To-Do List

To complete powermail documentation.

Further Information

About the plugin icon

The concept of the icon:

- The cylinder is the common symbol for a database.
- The sheet is a symbol for the frontend.
- The colour of the stripe, orange, is the one of the TYPO3 colours.




Illustration 8: The logo

Other extensions published by Die Netzmacher

-  Browser for BZD Staff Directory. List view and single view for the extension BZD Staff Directory. It is out of the box. You can edit the views by TypoScript. You can add fields and whole views.
http://typo3.org/extensions/repository/view/browser_bzdstaffdirectory/current/
-  Browser for Virtual Civil Services - List views and single views for the extension Virtual Civil Services (civserv) . It supersedes smarty and enables SEO - search engine optimisation -, Real URL and the TYPO3 cache management. It is out of the box. It You can edit the views by TypoScript. You can add fields and whole views.
http://typo3.org/extensions/repository/view/browser_civserv/current/
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the Quick Shop in three hours only.
http://typo3.org/extensions/repository/view/green_cars/current/
-  Juridat - Database for Juridical Data. Juridat provides a juridical data base with backend functionality. Juridat is out of the box. It is a teamwork with the Browser.
<http://typo3.org/extensions/repository/view/juridat/current/>
-  logical_form: A frontend plugin for evaluating forms. I.e you can evaluate mail addresses.
http://typo3.org/extensions/repository/view/logical_form/current/
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.
<http://typo3.org/extensions/repository/view/majordomo/current/>
-  rm_staticfile: Improve your performance! This extension enables the delete of static files, which where generated by nc_staticfilecache. It is a team play with the TYPO3 cache management, ttnews, ttnewsache, sg_newsplus and sg_zfelib.
http://typo3.org/extensions/repository/view/delete_staticfile_by_3party/current/
-  seo_dynamic_tag: Search Engine Optimisation. You can generate values dynamically with this extension especially for the <title>-tag, for the <meta>-tag description and the <meta>-tag keywords.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/current/
-  ## tt_news Marker (extkey: ttnews_marker) enables to add any marker to a tt_news HTML template including links. Any marker has the std_wrap property.
http://typo3.org/extensions/repository/view/ttnews_marker/current/
-  SQL tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin. I. e. it is possible to display tt_news items in dependence on the ownership of a fe_user.
http://typo3.org/extensions/repository/view/ttnews_selectconf/current/
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension Quick Shop.
<http://typo3.org/extensions/repository/view/wine/current/>

Manual and Tutorial in PDF

You find this manual and the tutorial in PDF format at

- [doc/manual.pdf](#)
http://typo3.org/extensions/repository/view/quick_shop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf
- [doc/tutorial.pdf](#)
http://typo3.org/extensions/repository/view/quick_shop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Ftutorial.pdf

About the Authors



Illustration 9:
Björn Jacob

Björn Jacob

Björn Jacob (* 1981 Ilmenau/Germany)

Founder of TRITUM (Jena/Gräfenroda)

Member of TYPO3 Usergroup Thuringia

Member of TYPO3 Usergroup Leipzig

since 2007: TRITUM is born and growing rapidly

2001 - 2007: University of applied sciences Jena – Business Administration

since 2000: Internet junky



Illustration 10:
Alexander Kellner

Alexander Kellner

Alex Kellner (* 1979 Nuremberg/Germany)

Founder of [einpraegsam.net](#)

Mod at [typo3.net](#)

Blogger at [typo3blogger.de](#)

Author of [powermail](#), [wt_gallery](#) and [wt_directory](#)

See full cv at http://www.xing.com/profile/Alexander_Kellner2



Illustration 11: The
Author - a little bit
blurred

Dirk Wildt

Dirk Wildt (* 1963 Hamburg/Germany)

Founder of Die Netzmacher GbR (Erfurt/Weimar)

Founder of TYPO3 Usergroup Thuringia

Member of TYPO3 Usergroup Leipzig

2003: Founding [think visually!](#) It is Die Netzmacher since 2009.

2000 - 2002: Financial Controller, G.E.B.B

1999 - 2000: Financial Controller, G|M|Z - Tagesspiegel-Gruppe

1997 - 1999: Spokesman, Senatsverwaltung für Finanzen, Berlin

1989 - 1997: Editor and Financial Controller, [taz](#), die tageszeitung

1982 - 1989: Freelancing Press Photographer



Change Log

1.0.1 **Initial release**



Illustration Index

Illustration 1: Quick Shop - Frontend.....	3
Illustration 2: Quick Shop - Backend.....	3
Illustration 3: The extension manager.....	6
Illustration 4: Sysfolder Quick Shop.....	7
Illustration 5: Add your first record.....	7
Illustration 6: Result in the frontend.....	8
Illustration 7: Result in the frontend.....	10
Illustration 8: The logo.....	13
Illustration 9: Björn Jacob.....	14
Illustration 10: Alexander Kellner.....	14
Illustration 11: The Author - a little bit blurred.....	14